



MODERN  FLAMES


AMBIANCE CLX2 Series

Wall mounted or recesses into a standard studded wall

FEATURES

- Recessed (into a 2' x 4' wall) or Wall Mount Installation
- Interchangeable Media for Easy Customization
 - Coals & Glacier Crystal Glass Included (Except CLX3600)
- Colour Changing Orange to Blue Back Screen for Year Around Use
- Low Energy LED Flame Technology
- Unsurpassed Realistic Flame Pattern
- High-Tech Touch Screen Controls & Sleek Remote Control
- Flame Operates with or without Heat
- 1.5kW heating system with 2 settings
- Digital Thermostat
- Dimmable flame with 3 settings
- 240Volt - 10Amp
- Standard Electric Plug Connection
- Do-It-Yourself Installation Instructions (Included)
- Heats up to a 42m² Room
- Low carbon footprint

INTERCHANGEABLE FIREPLACE MEDIA



GLACIER GLASS CRYSTALS



COALS



BLUE FLAMES

AWARD WINNING SERIES

The award winning AMBIANCE CLX2 Series is the newest next generation and most innovative modern electric fireplace on the market today.

With an unsurpassed realistic flame pattern, these models are packed with features including recessed or wall mount installations, LED flame technology, high-tech touch screen controls, variable heat with thermostat, customizable media, and a remote control. With just the touch of a button, the mood can be changed by setting the flame colour to blue.

The five sizes available, make it convenient to add this beautiful and functional electric fireplace into any room or setting.



AL1150CLX2-AU



AL1500CLX2-AU



AL2000CLX2-AU

AL1150CLX2-AU

AL1500CLX2-AU

The popular AMBIANCE CLX electric fireplace offers the ultimate combination of versatility and design. It can be mounted directly onto the wall or easily recessed into any 2" x 4" wall for a flawless custom finished look.

The AL1150 and AL1500 sizes are the perfect addition to any bedroom, office, and more.

AL2000CLX2-AU

AL2500CLX2-AU

These two impressive lengths are designed for larger spaces to give a WOW factor to any project. Easily switch from Coals or Glacier Crystal Glass medias for a completely customizable fireplace feature.

Adding such a dramatic look into the room has never been easier with this wall mounted or 2" x 4" recessed design while retaining heating capability up to 42m².

AL3600CLX-AU

This massive 3.6m model is the largest electric fireplace on the market today. Due to popular demand, this custom fireplace is now available for the ultimate electric fireplace experience. Creating a perfect addition for commercial spaces such as a Hotel Lobby or Restaurant.



AL2500CLX2-AU



AL3600CLX-AU



REMOTE CONTROL

The On/Off button toggles the unit on or off. The Color button toggles the flame from orange to blue. The Dimmer button will lower the brightness of the flame, while the Bright button will make the fire image brighter.

Press the Heat down arrow to set the heat to low, press the Heat up arrow to set the heat to high. Press either of these buttons twice to turn the heat off.

TOUCH SCREEN TECHNOLOGY

Directly below the flame on the right hand side you will find a series of touch controls. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity.

Hold the light intensity for 5 seconds to change the back screen color from orange to blue. To the right of the stacked icons you will see a digital readout with arrows on the top and the bottom. The digital readout indicates the temperature the thermostat is set to. Touch the arrows above or below the digital readout to increase or decrease the set temperature. All touch controls fade to black after 4 seconds.



AMBIANCE CLX2 SERIES DIMENSIONS



LANDSCAPE FULLVIEW

Built-in flush mount

FEATURES

- Realistic Natural Flame Appearance
- Glowing Coal Ember Bed (Standard)
- Colour Changing Orange to Blue Flame for Year Around Use
- Full Flame Viewing Area
- Fully Finished, Clean Face Installation
- Affordable Alternative to Gas Fireplaces
- Can be Installed beneath a TV
- Cool to the Touch with Heat On or Off
- Sleek Remote Control
- Wall Tether Touch Screen Control
- Directly Wires into a Standard 220/240Volt - 10Amp Circuit
- 2kW heating system with 2 settings
- Dimmable flame with 3 settings
- Heats up to a 45m² room
- Low carbon footprint

INTERCHANGEABLE FIREPLACE MEDIA



DRIFTWOOD LOGS



COALS



BLUE FLAMES

FIRST OF ITS KIND

The LANDSCAPE FULLVIEW built-in electric fireplace is the first of its kind creating a perfect substitute for a linear gas fireplace.

A unique frameless design allows for edge to edge flame presentation as well as unlimited surround capabilities.

Available in five different lengths for any application as well as two customizable flame bed options for different fit and finishes.

A 2-stage heater is also included for supplemental heat up to 45m².



LFV2-1000/400-AU



LFV2-1500/400-AU



LFV2-2000/400-AU

LFV2-1000/400-AU

LFV2-1500/400-AU

The LANDSCAPE FULLVIEW electric fireplace is changing the way the industry views built-in electrics. With five different convenient sizes, there is sure to be a size that fits your residential and commercial needs.

The uninterrupted landscape view of the fireplace can also be upgraded from Coal Embers to a hand-painted Driftwood Logset.

LFV2-2000/400-AU

LFV2-2500/400-AU

The LANDSCAPE FULLVIEW fireplace directly wires in to a standard 220/240Volt 10Amp electrical circuit, requires no additional venting, and costs a fraction to operate compared to gas fireplaces.

Despite the simplicity when it comes to installing, the fireplace retains heating capabilities of 45m².

LFV2-3000/400-AU

At just over 3 meters, the LANDSCAPE FULLVIEW is the largest built-in electric of its kind. Modern Flames already produces the largest linear electric and now we have the largest linear built-in. This unit operates on the same electrical power as the others and still requires no additional venting. Easily installs into any framed wall and allows for any type of wall covering.



LFV2-2500/400-AU



LFV2-3000/400-AU



REMOTE CONTROL

The On/Off button toggles the unit on or off. The Color button toggles the flame from orange to blue. The Dimmer button will lower the brightness of the flame, while the Bright button will make the fire image brighter.

Press the Heat down arrow to set the heat to low, press the Heat up arrow to set the heat to high. Press either of these buttons twice to turn the heat off.


TOUCH SCREEN TECHNOLOGY

A tethered wall control unit is included with the Landscape models. When all indicator lights are off, touching any button will only show the status.

Once the indicator lights are on, you can begin operation. Touch the Power button to turn the machine on. This will be indicated by one orange LED light. Touch the Power button again to turn off the machine.

The heat button can be pressed multiple times and will turn on Low, High and Off, in that order.

The Dimmer/Color button turns on High, Medium, Low and Off, in that order. Long-press the Dimmer/Color button to toggle the flame color from orange to blue.



LANDSCAPE FULLVIEW DIMENSIONS




SPECTRUM SERIES

Built-in flush mount

FEATURES

- Unsurpassed Realistic Flame Pattern
- 12 Color Flame Combination
- Glacier Glass Ember Bed
- Low Energy LED Flame Technology
- Touch Button Controls
- New Sleek Remote
- Can be Installed Beneath a TV
- Sleek Remote Control
- Variable Heat with Thermostat
- Variable Flame Controls
- 20Volt Plug / Hard Wire Ready
- Variable Flame Controls
- Do it Yourself Installation Instructions

INTERCHANGEABLE FLAME COLORS (12 OPTIONS)



GLACIER DIAMOND CRYSTALS

CHOOSE YOUR FLAME

The SPECTRUM SERIES built-in electric fireplace brings the flame versatility and size options to the conventional electric fireplace. Our award winning flame appearance now features 12 different flame color combinations to choose from.

A gray back screen allows the colors to shimmer and shine, dancing off multicolor glacier diamond glass, creating a crisp, clean flame and contemporary look.

The Spectrum Series is available in 2 different box size models: 50" and 74" linear. A thermostat, touch control and remote completes this innovative series.



SL50-INT




REMOTE CONTROL

The On/Off button toggles the unit on or off. The Color button toggles the flame from orange to blue. The Dimmer button will lower the brightness of the flame, while the Bright button will make the fire image brighter.

Press the Heat down button to set the heat to low, press the Heat up button to set the heat to high. Press either of these buttons twice to turn the heat off.

COLOR COMBINATIONS AT THE PUSH OF A BUTTON


The 6 button control panel is located at the top right of fireplace including the digital readout thermostat. Button (1) turns the fireplace on or off. Button (2) turns on the heater. Button (3) turns the heater temperature up and (4) turns the heat down. Button (5) cycles through the 12 different flame color combinations, and button (6) adjusts the flame intensity.




SPECTRUM SERIES | YOU SET THE MOOD



BLUE



CYAN



EMERALD



GOLD



ORANGE



RED




GREEN



ICE BLUE



MAGENTA



MULTI



PURPLE



WHITE



AL2500CLX2-AU

AMBIANCE CLX2 SERIES SPECIFICATIONS

MODEL	VIEWING AREA	FIREBOX DIMENSIONS	FACE DIMENSIONS	BTU'S	VOLTS	WATTS
AL1150CLX2-AU	686 X 254mm	743 X 489 X 140mm	1143 X 648mm	5100	AC230/240 - 50HZ	1500
AL1500CLX2-AU	1067 X 254mm	1124 X 489 X 140mm	1524 X 648mm	5100	AC230/240 - 50HZ	1500
AL2000CLX2-AU	1575 X 254mm	1632 X 489 X 140mm	2032 X 648mm	5100	AC230/240 - 50HZ	1500
AL2500CLX2-AU	2083 X 254mm	2140 X 489 X 140mm	2540 X 648mm	5100	AC230/240 - 50HZ	1500
AL3600CLX2-AU	3200 X 254mm	3258 X 489 X 140mm	3658 X 648mm	5100	AC230/240 - 50HZ	1500



LANDSCAPE FULLVIEW SPECIFICATIONS


MODEL	VIEWING AREA	FIREBOX DIMENSIONS	FRAMING DIMENSIONS	BTU'S	VOLTS	WATTS
LFV2-1000/400-AU	1016 X 381mm	1390 X 571 X 292mm	1416 X 584 X 305mm	7500	AC230/240 - 50HZ	2200
LFV2-1500/400-AU	1524 X 381mm	1899 X 571 X 292mm	1924 X 584 X 305mm	7500	AC230/240 - 50HZ	2200
LFV2-2000/400-AU	2032 X 381mm	2406 X 571 X 292mm	2432 X 584 X 305mm	7500	AC230/240 - 50HZ	2200
LFV2-2500/400-AU	2540 X 381mm	2914 X 571 X 292mm	2940 X 584 X 305mm	7500	AC230/240 - 50HZ	2200
LFV2-3000/400-AU	3048 X 381mm	3422 X 571 X 292mm	3448 X 584 X 305mm	7500	AC230/240 - 50HZ	2200



SL74-INT

SPECTRUM SERIES SPECIFICATIONS

MODEL	FACIAL DIMENSIONS	VIEWING AREA	FIREBOX DIMENSIONS	FRAMING DIMENSIONS	BTU'S	VOLTS	WATTS
SL50-INT	1266.6 X 482.6mm	1175 X 337.7mm	1216.5 X 457.2 X 195mm	1232 X 464 X 203mm	5000	AC230 - 50HZ	1530
SL74-INT	1879.6 X 482.6mm	1792 X 337.7mm	1833.5 X 457.2 X 195mm	1848 X 464 X 203mm	5000	AC230 - 50HZ	1530



PH: +61 (07) 5630 6837

EMAIL: INFO@MODERNFLAMES.COM

WWW.MODERNFLAMES.COM.AU